

## **VariTable XML Interface Version 0.0.1 (BETA)**

### **Introduction**

VariTable provides this XML Interface for external applications. Using the Interface external applications can gain access to the data and the business logic provided by VariTable.

This document is intended to the third party software vendors who are developing a system which needs connectivity to VariTable. The data contained herein is public information and is published for public use. However, if you have received this copy from a firm other than toolicious, you may want to contact us to insure that you have the most recent version of this document. toolicious reserves the right to modify or correct this specification without notice.

Toolicious Softwareentwicklung GmbH makes no warranty, express or implied, or assumes any legal liability or responsibility for the accuracy or completeness of any information contained or any particular purpose.

Toolicious Softwareentwicklung GmbH shall not be liable for errors or for damages in connection with the use of interface and provided material.

## Table of Contents

VariTable XML Interface Version 0.0.1 (BETA).....	1
Introduction.....	1
Table of Contents .....	2
History.....	3
System Overview .....	3
Interface Functions .....	3
Communication .....	3
Message formatting .....	3
Data format.....	3
Response Codes.....	3
Fields for selection, insert, update by request type .....	4
Profile Type.....	4
Reservation Type.....	4
Availability Type.....	5
Type definitions .....	6
VariTable Type .....	6
Request Type.....	6
Response Type .....	7
Query Type.....	7
Insert Type.....	7
Update Type .....	8
QueryResponse Type .....	8
InsertResponse Type .....	8
UpdateResponse Type.....	8
Conditions Type .....	9
Fields Type.....	9
Rows Type.....	9
Schema VaritableXML .....	9
Samples .....	15
Profile selection.....	15
Insert Profile.....	15
Update Profile .....	16
Reservation selection.....	16
Insert Reservation.....	17
Update Reservation .....	17
Request Availability .....	18
Request.....	18

## History

Version	Date	Remarks
0.0.1	11/2007	<a href="mailto:wolfgang.gelbmann@toolicio.us.com">wolfgang.gelbmann@toolicio.us.com</a> created.

## System Overview

### *Interface Functions*

Following functionality is provided by XML Interface:

- Profile lookup, insert, update
- Reservation lookup, insert, update.
- Availability lookup.

### *Communication*

The operations will be performed over TCP/IP or HTTP/HTTPS communication protocol.

### *Message formatting*

Every XML message must provide attribute “*ID*” for the request element. The same “*ID*” will be returned as attribute for the response element. A message contains username and password for authentication. Multiple requests within the same message is supported.

### *Data format*

Date: formatted as DD.MM.YYYY

DateTime: formatted as DD.MM.YYYY HH:MM:SS

Time: formatted as HH:MM:SS

### *Response Codes*

- OK     Command or request successful
- IR     Invalid request or unsupported request type

## Fields for selection, insert, update by request type

### Profile Type

Name	Query Request	Insert Request	Update Request
ID	X	X	X
LastName	X	X	X
FirstName	X	X	X
Title		X	X
ShippingAddress (Address: City, CountryISO2, State, Zip, Street)	X	X	X
AddressGreeting		X	X
LetterGreeting		X	X
Birthday		X	X
Phone		X	X
Fax		X	X
MobilePhone		X	X
Email	X	X	X
Position		X	X
Notes		X	X
NationalityISO2	X	X	X

### Reservation Type

Name	Query Request	Insert Request	Update Request
ID	X	X	X
ReservationBegin (DateTime)	X	X	X
ReservationEnd (DateTime)	X	X	X
CreatedOn	X		
Adults		X	X
ChildrenAge1		X	X
ChildrenAge2		X	X
ChildrenAge3		X	X
ChildrenAge4		X	X
ReservedTable	X	X	X
AreaName	X	X	X
State Definitive = -1 Tentative = -4 Waitlist = -3 CheckedIn = 0 CheckedOut = 1 NoShow = 2 CLX = -2	X		
LastModified			


Notes		X	X
CreatedBy	X	X	
[Guest] (Profile Type)	X	X	X
[Company] (Profile Type)		X	X
BookedBy		X	X
ExternalRef ( <i>Used to store PMS reservation Id</i> )	X	X	X
POSID ( <i>Used to store POS check Id</i> )	X	X	X

### ***Availability Type***


<b>Name</b>	<b>Query Request</b>	<b>Insert Request</b>	<b>Update Request</b>
Start (DateTime)	X		
End (DateTime)	X		
Persons	X		
Area		X	
Table		X	

## Type definitions


### VariTable Type




### Request Type




### Response Type




### Query Type




### Insert Type




### Update Type




### QueryResponse Type




### InsertResponse Type




### UpdateResponse Type




### Conditions Type



### Fields Type



### Rows Type



## Schema VaritableXML

```

<?xml version="1.0" encoding="UTF-8"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:simpleType name="ST_field">
    <xs:restriction base="xs:string"/>
  </xs:simpleType>
  <xs:element name="updateResponse">
    <xs:complexType>
      <xs:sequence>
        <xs:element ref="rows" maxOccurs="unbounded"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="update">

```

```

<xs:complexType>
  <xs:sequence>
    <xs:element ref="conditions"/>
    <xs:element ref="fields"/>
  </xs:sequence>
  <xs:attribute name="ReqType" use="required">
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:enumeration value="Reservation"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:attribute>
  <xs:attribute name="Name" use="required">
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:enumeration value="VaribonWebServiceRequest"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:attribute>
</xs:complexType>
</xs:element>
<xs:element name="rows">
  <xs:complexType>
    <xs:choice minOccurs="0">
      <xs:element ref="ID"/>
      <xs:element ref="row" maxOccurs="unbounded"/>
    </xs:choice>
  </xs:complexType>
</xs:element>
<xs:element name="row">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="fields"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="response">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="queryResponse" minOccurs="0" maxOccurs="unbounded"/>
      <xs:element ref="insertResponse" minOccurs="0" maxOccurs="unbounded"/>
      <xs:element ref="updateResponse" minOccurs="0" maxOccurs="unbounded"/>
    </xs:sequence>
    <xs:attribute name="Status" use="required">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:enumeration value="OK"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:attribute>
    <xs:attribute name="ID" use="required">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:enumeration value="Toolicious.WebServiceRequest"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:attribute>
  </xs:complexType>
</xs:element>
<xs:element name="request">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="query" minOccurs="0" maxOccurs="unbounded"/>
      <xs:element ref="insert" minOccurs="0" maxOccurs="unbounded"/>
      <xs:element ref="update" minOccurs="0" maxOccurs="unbounded"/>
    </xs:sequence>
    <xs:attribute name="UserName" use="required">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:enumeration value="sa"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:attribute>
  </xs:complexType>
</xs:element>

```

```

<xs:attribute name="Password" use="required">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:enumeration value=""/>
    </xs:restriction>
  </xs:simpleType>
</xs:attribute>
<xs:attribute name="ID" use="required">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:enumeration value="Toolicious.WebServiceRequest"/>
    </xs:restriction>
  </xs:simpleType>
</xs:attribute>
<xs:attribute name="Database" use="required">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:enumeration value="VaritableV4"/>
    </xs:restriction>
  </xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>
<xs:element name="queryResponse">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="rows" maxOccurs="unbounded"/>
    </xs:sequence>
    <xs:attribute name="Name" use="required">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:enumeration value="VaribonWebServiceRequest"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:attribute>
  </xs:complexType>
</xs:element>
<xs:element name="query">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="conditions"/>
      <xs:element ref="fields"/>
    </xs:sequence>
    <xs:attribute name="ReqType" use="required">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:enumeration value=" Reservation "/>
        </xs:restriction>
      </xs:simpleType>
    </xs:attribute>
    <xs:attribute name="Name" use="required">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:enumeration value="VaribonWebServiceRequest"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:attribute>
  </xs:complexType>
</xs:element>
<xs:element name="link">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="condition"/>
    </xs:sequence>
    <xs:attribute name="operator" use="required">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:enumeration value="OR"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:attribute>
  </xs:complexType>
</xs:element>

```

```

<xs:element name="insertResponse">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="rows" maxOccurs="unbounded"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="insert">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="fields" maxOccurs="unbounded"/>
    </xs:sequence>
    <xs:attribute name="ReqType" use="required">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:enumeration value="Profile"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:attribute>
  </xs:complexType>
</xs:element>
<xs:element name="fields">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="field" maxOccurs="unbounded"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="field">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="ST_field">
        <xs:attribute name="name" use="required">
          <xs:simpleType>
            <xs:restriction base="xs:string">
              <xs:enumeration value="ID"/>
              <xs:enumeration value="LastName"/>
              <xs:enumeration value="FirstName"/>
              <xs:enumeration value="Title"/>
              <xs:enumeration value="Address"/>
              <xs:enumeration value="City"/>
              <xs:enumeration value="CountryISO2"/>
              <xs:enumeration value="State"/>
              <xs:enumeration value="Zip"/>
              <xs:enumeration value="Street"/>
              <xs:enumeration value="AddressGreeting"/>
              <xs:enumeration value="LetterGreeting"/>
              <xs:enumeration value="Birthday"/>
              <xs:enumeration value="Phone"/>
              <xs:enumeration value="Fax"/>
              <xs:enumeration value="MobilePhone"/>
              <xs:enumeration value="Email"/>
              <xs:enumeration value="Postition"/>
              <xs:enumeration value="Notes"/>
              <xs:enumeration value="NationalityISO2"/>
              <xs:enumeration value="ReservationBegin"/>
              <xs:enumeration value="ReservationEnd"/>
              <xs:enumeration value="CreatedOn"/>
              <xs:enumeration value="Adults"/>
              <xs:enumeration value="ChildrenAge1"/>
              <xs:enumeration value="ChildrenAge2"/>
              <xs:enumeration value="ChildrenAge3"/>
              <xs:enumeration value="ChildrenAge4"/>
              <xs:enumeration value="ReservedTable"/>
              <xs:enumeration value="AreaName"/>
              <xs:enumeration value="State"/>
              <xs:enumeration value="LastModified"/>
              <xs:enumeration value="Notes"/>
              <xs:enumeration value="CreatedBy"/>
              <xs:enumeration value="Guest"/>
              <xs:enumeration value="Company"/>
              <xs:enumeration value="GuestName"/>
              <xs:enumeration value="LetterGreeting"/>
            </xs:restriction>
          </xs:simpleType>
        </xs:attribute>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element>

```

```

        <xs:enumeration value="OnlineStatus"/>
        <xs:enumeration value="ResDate"/>
        <xs:enumeration value="State"/>
        <xs:enumeration value="TableNr"/>
        <xs:enumeration value="TableTypeld"/>
        <xs:enumeration value="UnitNr"/>
        <xs:enumeration value="UnitTimeSid"/>
    </xs:restriction>
</xs:simpleType>
</xs:attribute>
</xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
<xs:element name="conditions">
    <xs:complexType>
        <xs:sequence>
            <xs:element ref="condition"/>
            <xs:element ref="link" minOccurs="0" maxOccurs="unbounded"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="condition">
    <xs:complexType mixed="true">
        <xs:attribute name="type" use="required">
            <xs:simpleType>
                <xs:restriction base="xs:string">
                    <xs:enumeration value="ProfileConditionType"/>
                    <xs:enumeration value="ReservationConditionType"/>
                </xs:restriction>
            </xs:simpleType>
        </xs:attribute>
        <xs:attribute name="operation" use="required">
            <xs:simpleType>
                <xs:restriction base="xs:string">
                    <xs:enumeration value="eq"/>
                    <xs:enumeration value="gr"/>
                </xs:restriction>
            </xs:simpleType>
        </xs:attribute>
        <xs:attribute name="name" use="required">
            <xs:simpleType>
                <xs:restriction base="xs:string">
                    <xs:enumeration value=" Adults "/>
                    <xs:enumeration value=" ArrTime "/>
                    <xs:enumeration value="ID"/>
                </xs:restriction>
            </xs:simpleType>
        </xs:attribute>
    </xs:complexType>
</xs:element>
<xs:element name="VariTable">
    <xs:complexType>
        <xs:sequence>
            <xs:element ref="request" minOccurs="0"/>
            <xs:element ref="response" minOccurs="0"/>
        </xs:sequence>
        <xs:attribute name="lastModified" use="optional">
            <xs:simpleType>
                <xs:restriction base="xs:dateTime">
                    <xs:enumeration value="2007-08-20T17:19:15.0"/>
                </xs:restriction>
            </xs:simpleType>
        </xs:attribute>
        <xs:attribute name="Version" use="required">
            <xs:simpleType>
                <xs:restriction base="xs:string">
                    <xs:enumeration value="1.0.0"/>
                </xs:restriction>
            </xs:simpleType>
        </xs:attribute>
    </xs:complexType>
</xs:element>

```

```
<xs:element name="ID">
  <xs:simpleType>
    <xs:restriction base="xs:short">
      <xs:enumeration value="1320"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:schema>
```

## Samples

### Profile selection

#### Request

```
<VariTable Version="1.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" lastModified="2007-08-20T17:19:15">
  <request ID="Toolicious.WebServiceRequest" UserName="sa" Password="" Database="VaritableV4">
    <query ReqType="Profile" Name="VaribonWebServiceRequest">
      <conditions>
        <condition type="ProfileConditionType" operation="eq" name="ID">3</condition>
      </conditions>
      <link operator="OR">
        <condition>
          <condition type="ReservationConditionType" operation="eq" name="Email">test@test.com</condition>
        </condition>
      </link>
      <fields>
        <field name="ID" />
        <field name="LastName" />
        <field name="FirstName" />
      </fields>
    </query>
  </request>
</VariTable>
```

#### Response

```
<VariTable Version="1.0.0">
  <response ID="Toolicious.WebServiceRequest" Status="OK">
    <queryResponse Name="VaribonWebServiceRequest">
      <rows>
        <row>
          <fields>
            <field name="ID">3</field>
            <field name=" LastName ">Mustermann</field>
            <field name=" FirstName ">Max</field>
          </fields>
        </row>
      </rows>
    </queryResponse>
  </response>
</VariTable>
```

### Insert Profile

#### Request

```
<VariTable Version="1.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" lastModified="2007-08-20T17:19:15">
  <request ID="Toolicious.WebServiceRequest" UserName="sa" Password="" Database="VaritableV4">
    <insert ReqType="Profile">
      <field name="LastName" >Mustermann</field>
      <field name="FirstName" >Max</field>
    </insert>
  </request>
</VariTable>
```

#### Response

```
<VariTable Version="1.0.0">
  <response ID="Toolicious.WebServiceRequest" Status="OK">
    <insertResponse>
      <rows>
        <ID>4512</ID>
      </rows>
    </insertResponse>
  </response>
</VariTable>
```

```

</insertResponse>
</response>
</VariTable>

```

## Update Profile

### Request

```

<VariTable Version="1.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" lastModified="2007-08-20T17:19:15">
<request ID="Toolicious.WebServiceRequest" UserName="sa" Password="" Database="VaritableV4">
<update ReqType="Profile" Name="VaribonWebServiceRequest">
<conditions>
<condition type="ProfileConditionType" operation="eq" name="ID">3</condition>
</conditions>
<link operator="OR">
<condition>
<condition type="ReservationConditionType" operation="eq" name="Email">test@test.com</condition>
</condition>
</link>
<fields>
<field name="LastName" > Mustermann</field>
<field name="FirstName" > Max </field>
</fields>
</ update >
</request>
</VariTable>

```

### Response

```

<VariTable Version="1.0.0">
<response ID="Toolicious.Request1" Status="OK">
<updateResponse>
<rows />
</updateResponse>
</response>
</VariTable>

```

## Reservation selection

### Request

```

<VariTable Version="1.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" lastModified="2007-08-20T17:19:15">
<request ID="Toolicious.WebServiceRequest" UserName="sa" Password="" Database="VaritableV4">
<query ReqType=" Reservation " Name="VaribonWebServiceRequest">
<conditions>
<condition type="ReservationConditionType" operation="eq" name=" Adults ">3</condition>
</conditions>
<link operator="OR">
<condition>
<condition type="ReservationConditionType" operation="gr" name=" ArrTime ">12.01.2007 10:10</condition>
</condition>
</link>
<fields>
<field name="ID" />
<field name=" Adults " />
</fields>
</query>
</request>
</VariTable>

```

### Response

```

<VariTable Version="1.0.0">
<response ID="Toolicious.WebServiceRequest" Status="OK">
<queryResponse Name="VaribonWebServiceRequest">
<rows>
<row>

```

```

    <fields>
      <field name="ID">5</field>
      <field name=" Adults ">3</field>
    </fields>
  </row>
  <row>
    <fields>
      <field name="ID">7</field>
      <field name=" Adults ">3</field>
    </fields>
  </row>
</rows>
</queryResponse>
</response>
</VariTable>

```

## ***Insert Reservation***

### **Request**

```

<VariTable Version="1.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" lastModified="2007-08-20T17:19:15">
  <request ID="Toolicious.WebServiceRequest" UserName="sa" Password="" Database="VaritableV4">
    <insert ReqType="Reservation">
      <fields>
        <field name="ExternalId">44</field>
        <field name="GuestName">wolf</field>
        <field name="GuestFirstname">gelb</field>
        <field name="Guest">3554</field>
        <field name="CreatedDate">CONVERT (DateTime, '08.11.2007 00:00:00', 104)</field>
        <field name="CreatedOn">CONVERT (DateTime, '19:19', 104)</field>
        <field name="ResDate">CONVERT (DateTime, '30.11.2007 00:00:00', 104)</field>
        <field name="ArrTime">CONVERT (DateTime, '12:0', 104)</field>
        <field name="Duration">CONVERT (DateTime, '02:00:00', 104)</field>
        <field name="Adults">2</field>
        <field name="BlockNr">0</field>
        <field name="UnitNr">6718591</field>
        <field name="AreaNr">11044713</field>
        <field name="TableNr">13</field>
        <field name="UnitTimeSid">{7C3D8F89-45F0-4759-A070-192AF6FCF4B4}</field>
        <field name="TableTypeid">1104622</field>
        <field name="OnlineStatus">200</field>
        <field name="State">-5</field>
      </fields>
    </insert>
  </request>
</VariTable>

```

### **Response**

```

<VariTable Version="1.0.0">
  <response ID="Toolicious.WebServiceRequest" Status="OK">
    <insertResponse>
      <rows>
        <ID>1320</ID>
      </rows>
    </insertResponse>
  </response>
</VariTable>

```

## ***Update Reservation***

### **Request**

```

<VariTable Version="1.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" lastModified="2007-09-05T12:07:21">
  <request ID="Toolicious.WebServiceRequest" UserName="sa" Password="" Database="VaritableV4">
    <update ReqType="Reservation" Name="VaribonWebServiceRequest">

```

```

<conditions>
  <condition type="ProfileConditionType" operation="eq" name="ID">1152</condition>
</conditions>
<fields>
  <field name="ExternalId">42</field>
  <field name="GuestName">wolf</field>
  <field name="GuestFirstname">gelb</field>
  <field name="Guest">3554</field>
  <field name="CreatedDate">CONVERT (DateTime, '08.11.2007 00:00:00', 104)</field>
  <field name="CreatedOn">CONVERT (DateTime, '19:16', 104)</field>
  <field name="ResDate">CONVERT (DateTime, '30.11.2007 00:00:00', 104)</field>
  <field name="ArrTime">CONVERT (DateTime, '12:0', 104)</field>
  <field name="Duration">CONVERT (DateTime, '02:00:00', 104)</field>
  <field name="Adults">2</field>
  <field name="BlockNr">0</field>
  <field name="UnitNr">6718591</field>
  <field name="AreaNr">11044713</field>
  <field name="TableNr">12</field>
  <field name="UnitTimeSid">{7C3D8F89-45F0-4759-A070-192AF6FCF4B4}</field>
  <field name="TableTypeld">13312147</field>
  <field name="OnlineStatus">200</field>
  <field name="State">-5</field>
</fields>
</update>
</request>
</VariTable>

```

## Response

```

<VariTable Version="1.0.0">
  <response ID="Toolicious.WebServiceRequest" Status="OK">
    <updateResponse>
      <rows />
    </updateResponse>
  </response>
</VariTable>

```

## Request Availability

### Request

```

<fidelio Version="1.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" lastModified="2007-08-20T17:19:15">
  <request ID="Toolicious.Request2" UserName="sa" Password="" Database="VaritableV4">
    <query ReqType="Availability" Name="AvailabilityRequest1">
      <conditions>
        <condition type="ReservationConditionType" operation="gt" name="Start">30.11.2007 12:00:00</condition>
        <link operator="AND">
          <condition>
            <condition type="ReservationConditionType" operation="le" name="End">30.11.2007 14:00:00</condition>
          </condition>
          <condition>
            <condition type="ReservationConditionType" operation="eq" name="Persons">2</condition>
          </condition>
        </link>
      </conditions>
      <fields>
        <field name="Area" />
        <field name="Table" />
      </fields>
    </query>
  </request>
</fidelio>

```

## Response

```

<VariTable Version="1.0.0">
  <response ID="Toolicious.Request2" Status="OK">

```

```
<queryResponse Name="AvailabilityRequest1">
  <rows>
    <row>
      <field name="Availability">
        <field name="Areas">
          <field name="Area">
            <field name="Id">11044713</field>
            <field name="Name">Nonsmoking Area</field>
            <field Total="13" TotalSeats="59" TotalReserved="2" name="Tables">
              <field Id="13" UnitTimeSid="{7C3D8F89-45F0-4759-A070-192AF6FCF4B4}" Seats="5" ReservedPersons="2"
TableTypeld="1104622" name="Table" />
              <field Id="14" UnitTimeSid="{7C3D8F89-45F0-4759-A070-192AF6FCF4B4}" Seats="4" ReservedPersons="0"
TableTypeld="1331208" name="Table" />
              <field Id="15" UnitTimeSid="{7C3D8F89-45F0-4759-A070-192AF6FCF4B4}" Seats="4" ReservedPersons="0"
TableTypeld="1331208" name="Table" />
              <field Id="16" UnitTimeSid="{7C3D8F89-45F0-4759-A070-192AF6FCF4B4}" Seats="4" ReservedPersons="0"
TableTypeld="1331208" name="Table" />
              <field Id="17" UnitTimeSid="{7C3D8F89-45F0-4759-A070-192AF6FCF4B4}" Seats="6" ReservedPersons="0"
TableTypeld="13312147" name="Table" />
              <field Id="2" UnitTimeSid="{7C3D8F89-45F0-4759-A070-192AF6FCF4B4}" Seats="5" ReservedPersons="0"
TableTypeld="1104622" name="Table" />
              <field Id="3" UnitTimeSid="{7C3D8F89-45F0-4759-A070-192AF6FCF4B4}" Seats="4" ReservedPersons="0"
TableTypeld="1331208" name="Table" />
              <field Id="4" UnitTimeSid="{7C3D8F89-45F0-4759-A070-192AF6FCF4B4}" Seats="4" ReservedPersons="0"
TableTypeld="1331208" name="Table" />
              <field Id="5" UnitTimeSid="{7C3D8F89-45F0-4759-A070-192AF6FCF4B4}" Seats="4" ReservedPersons="0"
TableTypeld="1331208" name="Table" />
              <field Id="6" UnitTimeSid="{7C3D8F89-45F0-4759-A070-192AF6FCF4B4}" Seats="4" ReservedPersons="0"
TableTypeld="1331208" name="Table" />
              <field Id="7" UnitTimeSid="{7C3D8F89-45F0-4759-A070-192AF6FCF4B4}" Seats="5" ReservedPersons="0"
TableTypeld="1104622" name="Table" />
              <field Id="8" UnitTimeSid="{7C3D8F89-45F0-4759-A070-192AF6FCF4B4}" Seats="6" ReservedPersons="0"
TableTypeld="13312147" name="Table" />
              <field Id="9" UnitTimeSid="{7C3D8F89-45F0-4759-A070-192AF6FCF4B4}" Seats="4" ReservedPersons="0"
TableTypeld="1331208" name="Table" />
            </field>
          </field>
        </field>
      <field name="UnitNr">6718591</field>
    </row>
  </rows>
</queryResponse>
</response>
</VariTable>
```